



RIMMO

About Us

Rimmo Services Technologies is one of the leading companies in the hospitality industry.

Rimmo provide a convenient and affordable one-stop solution. As working in this forefront industry, our objectives are to provide the quality products at most competitive price.

Rimmo aim to make life better by constantly developing good technology, new techniques in maintaining and improving our production skills to focus on quality as the primary consideration in our product.

Look to the Rimmo Services Technologies for products you can count on time and time again.

***Your Partner for successful
Hospitality Solutions.***

Product range

Rimmo offering a wide range of hospitality products such as Electric Kettles, Tray Set, Steam Iron, Hairdryer, Waste Bins, Personal Scales, Cosmetics Mirror, Room Emergency Flashlight, Room Safes, Minibars, Wine Cooler, Amenity Holder & Room Accessories

RS- K0102

Concealed Heating and Anti dry Protection.
High quality Stainless Steel Body. Hinged Trigger locking lid. Flexible cover lager water spout for cleaning. Not easy to rust. Easy-grid handle. Light Indicator. Strix smart controller-Long working life durable in use.



- ❖ UK strix controller
- ❖ Auto shut Off with On/Off button
- ❖ 360 degree rotational base
- ❖ Over Heating Protection

Capacity	1.0L
AC Voltage	220-240V, 50/60Hz
Rate Power	1360W
Product Colour	Black / White / Blue
Plug	Customized
Material	SS304 Stainless Steel

RS- K12W

Concealed Heating and Anti dry Protection.
Seamless Welded, Stainless Steel liner. Hinged Trigger locking lid. Flexible cover lager water spout for cleaning. Double Wall finished Anti Scald. Easy-grid handle. Light Indicator. Strix smart controller-Long working life durable in use.



- ❖ UK strix controller
- ❖ Auto shut Off with On/Off button
- ❖ 360 degree rotational base
- ❖ Over Heating Protection

Capacity	1.2L
AC Voltage	220-240V, 50/60Hz
Rate Power	1360W
Product Colour	Black / White
Plug	Customized
Material	SS304 Stainless Steel

RS- K0801

Concealed Heating and Anti dry Protection.
High quality Stainless Steel Body. Hinged Trigger locking lid. Flexible cover lager water spout for cleaning. Not easy to rust. Easy-grid handle. Light Indicator. Strix smart controller-Long working life durable in use.

- ❖ UK strix controller
- ❖ Auto shut Off with On/Off button
- ❖ 360 degree rotational base
- ❖ Over Heating Protection



Capacity	0.8L
AC Voltage	220-240V, 50/60Hz
Rate Power	1360W
Product Colour	Black / White
Plug	Customized
Material	SS304 Stainless Steel

RS- K1262

Concealed Heating and Anti dry Protection.
High quality Stainless Steel Body. Hinged Trigger locking lid. Flexible cover lager water spout for cleaning. Not easy to rust. Easy-grid handle. Light Indicator. Strix smart controller-Long working life durable in use.

- ❖ UK strix controller
- ❖ Water Level Window
- ❖ Auto shut Off with On/Off button
- ❖ 360 degree rotational base
- ❖ Over Heating Protection



Capacity	0.6L
AC Voltage	220-240V, 50/60Hz
Rate Power	1000W
Product Colour	Black / White
Plug	Customized
Material	SS304 Stainless Steel

RS- K1010

Concealed Heating and Anti dry Protection.
Thermal-Protective PP Plastic Outer Shell. Hinged Trigger locking lid. Flexible cover lager water spout for cleaning. Double Wall finished Anti Scald. Easy-grid handle. Strix smart controller-Long working life durable in use.

- ❖ UK strix controller
- ❖ Water Level Window
- ❖ Auto shut Off with On/Off button
- ❖ 360 degree rotational base
- ❖ Over Heating Protection



Capacity	0.8L
AC Voltage	220-240V, 50/60Hz
Rate Power	1350W
Product Colour	Black / White
Plug	Customized
Material	SS304 Stainless Steel + High quality PP plastic

RS- K2002

Concealed Heating and Anti dry Protection.
Double shell body: stainless steel inside + plastic shell. Hinged Trigger locking lid. Easy Clean Heating Element. Double Wall finished Anti Scald. Easy-grid handle. Light Indicator. Strix smart controller-Long working life durable in use.



- ❖ UK strix controller
- ❖ Auto shut Off with On/Off button
- ❖ 360 degree rotational base
- ❖ Over Heating Protection

Capacity	1.2L
AC Voltage	220-240V, 50/60Hz
Rate Power	1600W
Product Colour	Black / White
Plug	Customized
Material	SS304 Stainless Steel + High quality PP plastic

RS- K1265

Concealed Heating and Anti dry Protection.
Seamless Welded, Stainless Steel liner. Hinged Trigger locking lid. Flexible cover lager water spout for cleaning. Double Wall finished Anti Scald. Easy-grid handle. Light Indicator. Strix smart controller-Long working life durable in use.



- ❖ UK strix controller
- ❖ Auto shut Off with On/Off button
- ❖ 360 degree rotational base
- ❖ Over Heating Protection

Capacity	0.6L
AC Voltage	220-240V, 50/60Hz
Rate Power	1000W
Product Colour	Black / White
Plug	Customized
Material	SS304 Stainless Steel

RS- K1266

Concealed Heating and Anti dry Protection.
More durable and safe for using. Stainless Steel Spout and Lid. Hinged Trigger locking lid. Flexible cover lager water spout for cleaning. Double Wall finished Anti Scald. Easy-grid handle. Light Indicator. Strix smart controller-Long working life durable in use



- ❖ UK strix controller
- ❖ Auto shut Off with On/Off button
- ❖ 360 degree rotational base
- ❖ Over Heating Protection

Capacity	1.2L
AC Voltage	220-240V, 50/60Hz
Rate Power	1350W
Product Colour	Black
Plug	Customized
Material	SS304 Stainless Steel

RS- K1202

Concealed Heating and Anti dry Protection. High quality Stainless Steel Body. Hinged Trigger locking lid. Stainless steel heating base, high thermal efficiency. Triple protection of dry-burn. Flexible cover lager water spout for cleaning. Not easy to rust Easy-grid handle. Light Indicator. Strix smart controller-Long working life durable in use



- ❖ UK strix controller
- ❖ Auto shut Off with On/Off button
- ❖ 360 degree rotational base
- ❖ Over Heating Protection

Capacity	1.2L
AC Voltage	220-240V, 50/60Hz
Rate Power	2000W
Product Colour	Matt Finish
Plug	Customized
Material	SS304 Stainless Steel

RS- K1263

Concealed Heating and Anti dry Protection. High quality Stainless Steel Body. Hinged Trigger locking lid. Flexible cover lager water spout for cleaning. Not easy to rust. Easy-grid handle. Light Indicator. Strix smart controller-Long working life durable in use.



- ❖ UK strix controller
- ❖ Auto shut Off with On/Off button
- ❖ 360 degree rotational base
- ❖ Over Heating Protection

Capacity	0.6L
AC Voltage	220-240V, 50/60Hz
Rate Power	1000W
Product Colour	Matt Finish
Plug	Customized
Material	SS304 Stainless Steel

RS- K1261

Concealed Heating and Anti dry Protection. High quality Stainless Steel Body, Hinged Trigger locking lid. Flexible cover lager water spout for cleaning. Not easy to rust. Easy-grid handle. Light Indicator. Strix smart controller-Long working life durable in use.



- ❖ UK strix controller
- ❖ Auto shut Off with On/Off button
- ❖ 360 degree rotational base
- ❖ Over Heating Protection

Capacity	0.6L
AC Voltage	220-240V, 50/60Hz
Rate Power	1000W
Product Colour	Matt Finish
Plug	Customized
Material	SS304 Stainless Steel

RS- K1267

Concealed Heating and Anti dry Protection. Seamless Welded, Stainless Steel liner. Hinged Trigger locking lid. Flexible cover lager water spout for cleaning. Double Wall finished Anti Scald. Easy-grid handle. Light Indicator. Strix smart controller-Long working life durable in use.

- ❖ UK strix controller
- ❖ Auto shut Off with On/Off button
- ❖ 360 degree rotational base
- ❖ Over Heating Protection



Capacity	0.6L
AC Voltage	220-240V, 50/60Hz
Rate Power	1000W
Product Colour	Black / White
Plug	Customized
Material	SS304 Stainless Steel

RS- K81

Concealed Heating and Anti dry Protection. More durable and safe for using Stainless Steel Spout and Lid. Hinged Trigger locking lid. Flexible cover lager water spout for cleaning. Double Wall finished Anti Scald. Easy-grid handle. Light Indicator. Strix smart controller-Long working life durable in use

- ❖ UK strix controller
- ❖ Auto shut Off with On/Off button
- ❖ 360 degree rotational base
- ❖ Over Heating Protection



Capacity	0.8L
AC Voltage	220-240V, 50/60Hz
Rate Power	1000-1200W
Product Colour	Black
Plug	Customized
Material	SS316 SEAMLESS Stainless Steel

RS- K81A

Concealed Heating and Anti dry Protection. More durable and safe for using Stainless Steel Spout and Lid. Hinged Trigger locking lid. Flexible cover lager water spout for cleaning. Double Wall finished Anti Scald. Easy-grid handle. Light Indicator. Strix smart controller-Long working life durable in use

- ❖ UK strix controller
- ❖ Auto shut Off with On/Off button
- ❖ 360 degree rotational base
- ❖ Over Heating Protection
- ❖ 3 In 1 Tray



Kettle Capacity	0.8L
AC Voltage	220-240V, 50/60Hz
Rate Power	1000-1200W
Product Colour	Black
Plug	Customized
Kettle Material	SS316 SEAMLESS Stainless Steel
Tray Size	26.7*19*8cm
Tray Material	ABS

RS – Drawer Tray 1001

- ❖ Elegant design
- ❖ Easy to clean
- ❖ Fit different model kettles



Tray Size	26.7*19*8cm
Product Colour	Black
Material	ABS

RS – Serving Tray 1002

- ❖ Elegant design
- ❖ Tray without Hole
- ❖ Easy to clean
- ❖ Fit different model kettles



Large Tray Size	385mm x 325mm x 225mm
Service Tray Size	335mm x 132mm x 11mm
Condiment Container	155mm x 115mm x 50mm
Material	ABS
Product Colour	Black / White

RS – Serving Tray 1003

- ❖ Elegant design
- ❖ Tray with Hole
- ❖ Easy to clean
- ❖ Fit different model kettles



Large Tray Size	345mm x 315mm x 22mm
Service Tray Size	345mm x 138mm x 20mm
Condiment Container	130mm x 100mm x 40mm
Material	ABS
Product Colour	Black / White

RS-I 05

- ❖ Anti-calc, Anti-drip function;
- ❖ Dry/Spray/Steam/Burst steam/
- ❖ Self-cleaning for options;
- ❖ Gap design for keeping button
- ❖ Spray port / Water Inlet
- ❖ 5 speed adjustment knob
- ❖ High quality and Flexible power cable
- ❖ Soft handle; Ergonomics Grip
- ❖ Safe auto shut-off system
- ❖ Auto off after 30 seconds in horizontal, 8 minutes in vertical



Product Size	28×11.8×14cm
AC Voltage	220-240V, 50/60Hz
Rate Power	1800W
Water Tank Capacity	350ML
Burst Steam	45g/min
Water spray	0.5g/time
Plug	Customized
Sole Plate	Ceramic
Sole Plate Size	23.9x11.8cm

RS-I 06

- ❖ Anti-calc, Anti-drip function;
- ❖ Dry/Spray/Steam/Burst steam/
- ❖ Self-cleaning for options;
- ❖ Gap design for keeping button
- ❖ Spray port / Water Inlet
- ❖ 5 speed adjustment knob
- ❖ High quality and Flexible power cable
- ❖ Soft handle; Ergonomics Grip
- ❖ Safe auto shut-off system
- ❖ Auto off after 30 seconds in horizontal, 8 minutes in vertical



Product Size	28×11.8×14cm
AC Voltage	220-240V, 50/60Hz
Rate Power	1800W
Water Tank Capacity	350ML
Burst Steam	45g/min
Water spray	0.5g/time
Plug	Customized
Sole Plate	Ceramic
Sole Plate Size	23.9x11.8cm

RS-I 04

- ❖ Anti-calc, Anti-drip function;
- ❖ Dry/Spray/Steam/Burst steam/
- ❖ Self-cleaning for options;
- ❖ Gap design for keeping button
- ❖ Spray port / Water Inlet
- ❖ 5 speed adjustment knob
- ❖ High quality and Flexible power cable
- ❖ Soft handle; Ergonomics Grip
- ❖ Safe auto shut-off system
- ❖ Auto off after 30 seconds in horizontal, 8 minutes in vertical



Product Size	24.6×12×12.7cm
AC Voltage	220-240V, 50/60Hz
Rate Power	1600W
Water Tank Capacity	260ML
Burst Steam	45g/min
Water spray	0.5g/time
Plug	Customized
Sole Plate	Ceramic
Sole Plate Size	19.5×12cm

RS- IB 01 (Wall Mounted Iron Board)

- ❖ Heavy-duty construction with double V leg
- ❖ Steel mesh top for easy steam permeability
- ❖ Heat resistant iron rest
- ❖ Adjustable height
- ❖ Non-slip end caps on each leg
- ❖ Mechanism locking system
- ❖ Scorch resistant metalized cover

Full size	1120mmx300mm
Board Size	910mm x 300mm
Maximum Height	85cm
Height adjustment	7 levels
Thickening sponge	10MM
Thickness of the surface	0.8MM
Rugged Tube Frame Legs	Φ22/Φ28/Φ32mm
Product Colour	Carbon Black / Silver Grey



RS- IB 03 (Anti-Theft Iron Board)

- ❖ Heavy-duty construction with double V leg
- ❖ Steel mesh top for easy steam permeability
- ❖ Heat resistant iron rest
- ❖ Adjustable height
- ❖ Rotable Iron holder
- ❖ Anti-theft cable lock
- ❖ Store neatly on rail
- ❖ Non-slip end caps on each leg
- ❖ Mechanism locking system
- ❖ Scorch resistant metalized cover



Full size	1100mmx300mm
Board Size	910mm x 300mm
Maximum Height	85cm
Height adjustment	7 levels
Thickening sponge	10MM
Thickness of the surface	0.8MM
Rugged Tube Frame Legs	Φ22/Φ28/Φ32mm
Product Colour	Carbon Black / Silver Grey



RS- IB 07 (Hang-In Wardrobe Iron Board)

- ❖ Heavy-duty construction with double V leg
- ❖ Steel mesh top for easy steam permeability
- ❖ Heat resistant iron rest
- ❖ Adjustable height
- ❖ Store neatly on rail
- ❖ Non-slip end caps on each leg
- ❖ Mechanism locking system
- ❖ Scorch resistant metalized cover

Full size	1200mmx330mm
Board Size	920mm x 320mm
Maximum Height	85cm
Height adjustment	7 levels
Thickening sponge	10MM
Thickness of the surface	0.8MM
Rugged Tube Frame Legs	Φ22/Φ28/Φ32mm
Product Colour	Carbon Black / Silver Grey



RS- H 06 (Foldable Hair Dryer)

- ❖ Retractable spiral cord for option
- ❖ Safety on/off button special made for small hair dryer
- ❖ Healthy: Eco-friendly plastic housing lightweight hair dryer
- ❖ Overheating protection
- ❖ Built in hanging loop
- ❖ Foldable handle
- ❖ With concentrator nozzle
- ❖ Stability: Imported motor, long lifespan
- ❖ Coil Made Of Special Material



Power Rate	1400W
AC Voltage	220-240V, 50/60Hz
Product Colour	Black / White
Plug	Customized
Material	ABS Plastic
Wind Speed	2 heat/speed + 1 cool shot setting

RS- H 05 (Foldable Hair Dryer)

- ❖ Retractable spiral cord for option
- ❖ Safety on/off button special made for small hair dryer
- ❖ Healthy: Eco-friendly plastic housing lightweight hair dryer
- ❖ Overheating protection
- ❖ Built in hanging loop
- ❖ Foldable handle
- ❖ With concentrator nozzle
- ❖ Stability: Imported motor, long lifespan
- ❖ Coil Made Of Special Material



Power Rate	1200W
AC Voltage	220-240V, 50/60Hz
Product Colour	Black / White
Plug	Customized
Material	ABS Plastic
Wind Speed	2 heat/speed + 1 cool shot setting

RS- H 02 (Foldable Hair Dryer)

- ❖ Retractable spiral cord for option
- ❖ Safety on/off button special made for small hair dryer
- ❖ Healthy: Eco-friendly plastic housing lightweight hair dryer
- ❖ Overheating protection
- ❖ Built in hanging loop
- ❖ Foldable handle
- ❖ With concentrator nozzle
- ❖ Stability: Imported motor, long lifespan
- ❖ Coil Made Of Special Material



Power Rate	1600W
AC Voltage	220-240V, 50/60Hz
Product Colour	Black / White
Plug	Customized
Material	ABS Plastic
Wind Speed	2 heat/speed + 1 cool shot setting

RS- H 7W (Foldable Hair Dryer)

- ❖ Retractable spiral cord for option
- ❖ Safety on/off button special made for small hair dryer
- ❖ Healthy: Eco-friendly plastic housing lightweight hair dryer
- ❖ Overheating protection
- ❖ Built in hanging loop
- ❖ Foldable handle
- ❖ With concentrator nozzle
- ❖ Stability: Imported motor, long lifespan
- ❖ Coil Made Of Special Material



Power Rate	1600W
AC Voltage	220-240V, 50/60Hz
Product Colour	Black / White
Plug	Customized
Material	ABS Plastic
Wind Speed	2 heat/speed + 1 cool shot setting

RS- H 12 (Foldable Hair Dryer)

- ❖ Retractable spiral cord for option
- ❖ Safety on/off button special made for small hair dryer
- ❖ Healthy: Eco-friendly plastic housing lightweight hair dryer
- ❖ Overheating protection
- ❖ Built in hanging loop
- ❖ Foldable handle
- ❖ With concentrator nozzle
- ❖ Stability: Imported motor, long lifespan
- ❖ Coil Made Of Special Material



Power Rate	1200W
AC Voltage	220-240V, 50/60Hz
Product Colour	Black / White
Plug	Customized
Material	ABS Plastic
Wind Speed	2 heat/speed + 1 cool shot setting

RS- H D07-02 (Wall Mounted Hair Dryer)

- ❖ Retractable spiral cord for option
- ❖ Safety on/off button special made for small hair dryer
- ❖ Healthy: Eco-friendly plastic housing lightweight hair dryer
- ❖ Overheating protection
- ❖ Built in hanging loop
- ❖ Wall Mounted
- ❖ With concentrator nozzle
- ❖ Stability: Imported motor, long lifespan
- ❖ Coil Made Of Special Material



Power Rate	1200-1600W
AC Voltage	220-240V, 50/60Hz
Product Colour	Black / White
Plug	Customized
Material	ABS Plastic
Wind Speed	2 speed hot wind + cool wind setting

RS- P198

- ❖ Built-in high precision induction system
- ❖ 5mm toughened glass weighing platform
- ❖ Auto on/ Auto off function
- ❖ Low battery and overload indication



Max Capacity	150 kg
Power	2X1.5V AAA Batteries
Product Size	32.8×4.4×33.8cm
LCD Size	69x28mm
Product Colour	Black
Material	ABS + Tempered Glass

RS- P20

- ❖ Built-in high precision induction system
- ❖ 5mm toughened glass weighing platform
- ❖ Auto on/ Auto off function
- ❖ Low battery and overload indication



Max Capacity	100 kg / 200kg
Power	2X1.5V AAA Batteries
Product Size	35X35X3.8cm
LCD Size	53x28mm
Product Colour	Black / Grey
Material	ABS + Tempered Glass Stainless steel

RS- P04

- ❖ Built-in high precision induction system
- ❖ Anti-fingerprint 304 stainless steel weighing platform
- ❖ Large LCD display with backlit easy to read
- ❖ Auto on/ Auto off function
- ❖ Low battery and overload indication



Max Capacity	150 kg
Power	2X1.5V AAA Batteries
Product Size	312×285×25mm
LCD Size	79×36mm
Product Colour	Stainless Steel
Material	Stainless Steel

RS- P01

- ❖ Built-in high precision induction system
- ❖ 6mm toughened glass weighing platform
- ❖ Large LCD display with backlit easy to read
- ❖ Auto on/ Auto off function
- ❖ Low battery and overload indication



Max Capacity	200 kg
Power	2X1.5V AAA Batteries
Product Size	30.5 ×24.5×2.5cm
LCD Size	61×25mm
Product Colour	White
Material	ABS + Tempered Glass

RS- P02

- ❖ Built-in high precision induction system
- ❖ 5mm toughened glass weighing platform
- ❖ Auto on/ Auto off function
- ❖ Low battery and overload indication



Max Capacity	150 kg
Power	2X1.5V AAA Batteries
Product Size	31.2 ×28.5×2.5cm
LCD Size	79×36mm
Product Colour	Black
Material	ABS + Tempered Glass

RS- P03

- ❖ Built-in high precision induction system
- ❖ 5mm toughened glass weighing platform
- ❖ Large LCD display with backlit easy to read
- ❖ Auto on/ Auto off function
- ❖ Low battery and overload indication



Max Capacity	150 kg
Power	2X1.5V AAA Batteries
Product Size	31.2 ×28.5×2.5cm
LCD Size	61×25mm
Product Colour	Silver
Material	ABS + Tempered Glass

RS- W01

- ❖ Double layer, concealed rubbish bag
- ❖ Stainless Steel Top Ring
- ❖ Mandatory 24 hours Fire Resistance Steel
- ❖ Base is installed with Anti-skid Rubber Ring



Model	Double Layer Waste Bin
Capacity	10L
Size	D225x270mm
Shape	Round
Material	PP Plastic or Mild Steel With Powder Coated
Product Colour	Black

RS- W02

- ❖ Smart design for room use
- ❖ Stainless steel and powder coat Finishes
- ❖ Swing lid for tidy looking
- ❖ Rubber rim at the bottom for floor protection



Model	Swing Lid Waste Bin
Capacity	10L
Size	D245 x 300mm
Shape	Round
Material	Stainless steel and powder coat finishes
Product Colour	Black

RS- W03

- ❖ Plastic liner for easy cleaning
- ❖ Soft touch lid
- ❖ Quality stainless steel material
- ❖ Fire safe construction design
- ❖ Plastic liner for easy cleaning
- ❖ Polished finish



Model	Stainless Steel Pedal Bins
Capacity	3 / 5 / 8 / 12 litre
Size	D225 x 225 (mm)
Shape	Round
Material	#201 Stainless Steel Material
Product Colour	Stainless Steel

RS- W04

- ❖ Double-Circular Trash Cans
- ❖ Simple and Fashionable, Beautiful and Practical
- ❖ Space Saving, Pp Material, Large Capacity
- ❖ Strong Toughness, Health and Environmental Protection, Strong Load Bearing



Model	PP Conical Room Bucket
Capacity	12L
Inner Size	L210xW230xH310MM
Outer Size	L260xW235xH310MM
Shape	Round
Material	High quality PP / Solid and Durable
Product Colour	White, Grey,Pink,Black,Brown

RS- W05

- ❖ Double-Circular Trash Cans
- ❖ Simple and Fashionable, Beautiful and Practical
- ❖ Space Saving, High-quality stainless steel panel Large Capacity
- ❖ Strong Toughness, Health and Environmental Protection, Strong Load Bearing



Model	Metal Conical Room Bucket
Capacity	12L
Inner Size	L210xW230xH310MM
Outer Size	L260xW235xH310MM
Shape	Round
Material	High-Quality Stainless Steel Panel
Product Colour	Black

RS- W06

- ❖ Designed for waste sorting
- ❖ Concealed rubbish bag
- ❖ Quick and easy to clean
- ❖ Rubber leg at the bottom for floor protection



Model	Rectangle Leather Waste Bin With Inner Metal Layer
Product Size	L385x W260 x H280mm
Material	Leatherette outer layer / Fire resistant metal inner liner
Shape	Rectangle

RS-FL01

- ❖ Recharge about 30min, power can last 2-3hours
- ❖ Wall mounted and automatic switch on/off.
- ❖ LED light, button in the middle
- ❖ 13 LED lights, more brightness.
- ❖ Non-slip handle.
- ❖ Light is on when lift from wall bracket.
- ❖ Light is off when place back on the holder.
- ❖ With one rechargeable adapter



Power	3 x AA Batteries
Product Size	175x 51mm
Material	ABS Plastic
Product Colour	Black or Silver

RS-FL02

- ❖ Energy saving LED lights
- ❖ Non-slip handle
- ❖ Automatic switch-on/off system:
 - light is on when lift from wall bracket
 - light is off when place back on wall-mounted holder
- ❖ Luminous sticker on the holder



Power	4 x AAA Batteries
Product Size	130*40*38mm
Material	ABS Plastic
Product Colour	Black or Silver

RS-FL03

- ❖ Runtime: 6-7hours
- ❖ Automatic switch on when removed from wall bracket.
- ❖ Automatic switch off when put on the holder.
- ❖ Luminous sticker on the holder.
- ❖ 3 Led light



Power	2 x D batteries
Product Size	230*60*65mm
Material	ABS Plastic, Anti-Rubber
Product Colour	Black or Red

RS-WCM 67

- ❖ Wall Mounted Magnifying Mirror in round base
- ❖ Double Sided Design
- ❖ Positive and negative 360 degree flip.
- ❖ Positive 1 than 1 HD reduction effect;
- ❖ Negative 1 than 3 HD amplification effect, details more clearly, makeup, shaving, use more convenient.



Product Size	6 / 8 inches
Mirror Sides	Double Side
Mirror Magnification	One side normal, One side 3x
Mirror Material	Copper + Stainless Steel
Mirror Surface Treatment	Electroplating
Finish	Chrome

RS-WCM 539

- ❖ Wall mount movable Led Magnifying Mirror with a White Led Light.
- ❖ Standard Size
- ❖ Space-saving
- ❖ Multiple Angles Extendable
- ❖ Foldable
- ❖ Height-adjustment
- ❖ High definition mirror
- ❖ Very bright and natural lighting



Product Size	Mirror Diameter:8.5" / Thickness: 3cm
Mirror Sides	Double Side
Mirror Magnification	3x Magnification
Mirror Material	Copper + Stainless Steel
Mirror Surface Treatment	Electroplating
Finish	Iron chrome

RS-WCM 559

- ❖ Wall mount movable Led Magnifying Mirror with a White Led Light.
- ❖ Standard Size
- ❖ Space-saving
- ❖ Multiple Angles Extendable
- ❖ Foldable
- ❖ Height-adjustment
- ❖ High definition mirror
- ❖ Very bright and natural lighting



Product Size	Mirror Diameter:215mm / Base Diameter:125mm / Extensible Length:310mm
Mirror Sides	Double Side
Mirror Magnification	3x Magnification
Mirror Material	Copper + Stainless Steel
Mirror Surface Treatment	Electroplating
Finish	Iron chrome

RS- WCM 509

- ❖ Wall mount movable Led Magnifying Mirror with a White Led Light.
- ❖ Standard Size
- ❖ Space-saving
- ❖ Multiple Angles Extendable
- ❖ Foldable
- ❖ Height-adjustment
- ❖ High definition mirror
- ❖ Very bright and natural lighting



Product Size	Mirror Diameter:8.5" / Thickness: 2.7cm
Mirror Sides	Double Side
Mirror Magnification	3x Magnification
Mirror Material	Copper + Stainless Steel
Mirror Surface Treatment	Electroplating
Finish	Iron chrome

RS- WCM 519

- ❖ Wall mount movable Led Magnifying Mirror with a White Led Light.
- ❖ Standard Size
- ❖ Space-saving
- ❖ Multiple Angles Extendable
- ❖ Foldable
- ❖ Height-adjustment
- ❖ High definition mirror
- ❖ Very bright and natural lighting



Product Size	Mirror Diameter:8" / Thickness: 2cm
Mirror Sides	Double Side
Mirror Magnification	3x Magnification
Mirror Material	Copper + Stainless Steel
Mirror Surface Treatment	Electroplating
Finish	Iron chrome

RS- WCM 529

- ❖ Wall mount movable Led Magnifying Mirror with a White Led Light.
- ❖ Standard Size
- ❖ Space-saving
- ❖ Multiple Angles Extendable
- ❖ Foldable
- ❖ Height-adjustment
- ❖ High definition mirror
- ❖ Very bright and natural lighting



Product Size	Mirror Diameter:8.5" / Thickness: 5.5cm
Mirror Sides	Double Side
Mirror Magnification	3x Magnification
Mirror Material	Copper + Stainless Steel
Mirror Surface Treatment	Electroplating
Finish	Iron chrome

RS- HD 688

- ❖ Infrared sensor design with double air jet technology.
- ❖ Fashion appearance, energy saving
- ❖ environment protection, low noise, and quick drying.
- ❖ Very safe with multi-protection for over temperature, over currency and over time.
- ❖ High efficiency, economical operation with easy maintenance.
- ❖ ABS plastic shell, easy to clean, to avoid cross-contamination

Material	ABS Plastic
Dimensions	240 x 240 x 230mm
Voltage	110V/220V-240V
Rated Power	1800W
Air Speed	15M/S
Inductive Zone	12±3CM



RS- HD 8600

- ❖ Infrared sensor design with double air jet technology.
- ❖ Fashion appearance, energy saving
- ❖ environment protection, low noise, and quick drying.
- ❖ Very safe with multi-protection for over temperature, over currency and over time.
- ❖ High efficiency, economical operation with easy maintenance.
- ❖ ABS plastic shell, easy to clean, to avoid cross-contamination

Material	ABS Plastic
Dimensions	248 x 190 x 520mm
Voltage	110V/220V-240V
Rated Power	1400W
Air Speed	30M/S
Inductive Zone	12±3CM



RS- SB 2042CY

- ❖ Management 6 digit override master code
- ❖ Digital Keypad Safe Box
- ❖ Heavy Duty Steel Provides High Security Protection
- ❖ Panel with LED Screen Display & Translucent Cover
- ❖ Hidden Mechanical Override Key for Emergent Case
- ❖ Outside-Connected Battery Box with Crystal Head
- ❖ Special Design for Easy Taking Property
- ❖ Driven By Motor to Open and Close the Door Automatically
- ❖ Management Code and Guest Code for Different Accesses
- ❖ Override by Infrared Ray Controller for Option
- ❖ Pre-Drilled Anchor Holes for Fixing On the Furniture, Wall or Floor

Product Size	42*37*20cm
Door Thickness	5.0mm
Body Thickness	2.0mm
Screen	Led Display
Material	Metal
Power	4 x AA Battery
Product Colour	Black / White



RS- SB 2042C

- ❖ Management: 6 digit override master code
- ❖ Digital Keypad Safe Box
- ❖ Heavy Duty Steel Provides High Security Protection
- ❖ Panel with LED Screen Display & Translucent Cover
- ❖ Hidden Mechanical Override Key for Emergent Case
- ❖ Outside-Connected Battery Box with Crystal Head
- ❖ Special Design for Easy Taking Property
- ❖ Driven By Motor to Open and Close the Door Automatically
- ❖ Management Code and Guest Code for Different Accesses
- ❖ Override by Infrared Ray Controller for Option
- ❖ Pre-Drilled Anchor Holes for Fixing On the Furniture, Wall or Floor

Product Size	42*37*20cm
Door Thickness	5.0mm
Body Thickness	2.0mm
Screen	Led Display
Material	Metal
Power	4 x AA Battery
Product Colour	Black / White



RS- SB GK Top D

- ❖ Management: 6 digit override master code
- ❖ Electronic Digital Lock
- ❖ Heavy Duty Steel Provides High Security Protection
- ❖ Panel with LED Screen Display & Translucent Cover
- ❖ Hidden Mechanical Override Key for Emergent Case
- ❖ Outside-Connected Battery Box with Crystal Head
- ❖ Special Design for Easy Taking Property
- ❖ Driven By Motor to Open and Close the Door Automatically
- ❖ Management Code and Guest Code for Different Accesses
- ❖ Override by Infrared Ray Controller for Option
- ❖ Pre-Drilled Anchor Holes for Fixing On The furniture, Wall or Floor

Product Size	40*34.5*12.5cm
Door Thickness	4.0mm
Body Thickness	1.5 mm
Screen	Led Display
Material	Metal
Power	4 x AA Battery
Product Colour	Black / White



RS- SB 1542N (Front Opening Safe Drawer)

- ❖ Pull Out Drawer System
- ❖ Code locking (3 to 6 digits)
- ❖ 20mm diameter double bolts lock
- ❖ Lighted keypad, LED display
- ❖ Mechanical key override available
- ❖ Emergency handheld override for safe openings
- ❖ Low battery indicator
- ❖ Security lock-out 15 min. after 3 failed attempts
- ❖ Audit trail functions

Product Size	42*20*37cm
Door Thickness	5.0mm
Body Thickness	2.0 mm
Screen	Led Display
Material	Metal
Power	4 x AA Battery
Product Colour	Black / White



RS- Minbar 30L / 40L (Solid Door)

- ❖ Removable shelving for easy cleaning
- ❖ Thermal insulation manufactured with Cyclopentane
- ❖ Insulation free of CFC/HCFC
- ❖ Fully automatic defrost and easily adjustable thermostat
- ❖ Strong door hinges, convertible to either left or right side
- ❖ All-round magnetic seals to keep the door perfectly shut
- ❖ Led interior light
- ❖ Low energy consumption
- ❖ Silent operation

Capacity	30L / 40L
AC Voltage	220-240, 50/60Hz
Rate Power	65W
Cooling Capacity	0-8°C
Product Size 30L	40 × 41 × 50 cm
Product Size 40L	40 × 43 × 56 cm
System	Absorption Cooling
Door Material	Foam
Product Colour	Black / White
Plug	Customized



RS- Minibar 30L / 40L (Glass Door)

- ❖ Removable shelving for easy cleaning
- ❖ Thermal insulation manufactured with Cyclopentane
- ❖ Insulation free of CFC/HCFC
- ❖ Fully automatic defrost and easily adjustable thermostat
- ❖ Strong door hinges, convertible to either left or right side
- ❖ All-round magnetic seals to keep the door perfectly shut
- ❖ Led interior light
- ❖ Low energy consumption
- ❖ Silent operation

Capacity	30L / 40L
AC Voltage	220-240, 50/60Hz
Rate Power	65W
Cooling Capacity	0-8°C
Product Size 30L	40 × 42 x 50 cm
Product Size 40L	40 ×44 ×56 cm
System	Absorption Cooling
Door Material	Glass
Product Colour	Black / White
Plug	Customized



RS- Wine Cooler 6

- ❖ Thermoelectric cooler
- ❖ LED display with touch panel keys
- ❖ Adjustable thermostat for ideal temp control
- ❖ Black plastic door frame
- ❖ Integrated handle
- ❖ Double layer tempered transparent clear glass
- ❖ Adjustable level feet
- ❖ Soft interior lighting with ON/OFF switch
- ❖ 2 chromed shelves
- ❖ No compressor, quiet operation
- ❖ No refrigerant, environmental friendly
- ❖ Energy efficient technology
- ❖ Excluded: Stainless steel door frame, Silver door frame, Stainless steel handle & Wire shelf->wooden shelf



Capacity	16 L
Net Capacity	6 Bottles
AC Voltage	220-240, 50/60Hz
Rate Power	65W
Cooling Capacity	7-18°C
Product Size	254(W) x514(D) x378(H) mm
Plug	Customized

RS- Wine Cooler 46

- ❖ Dual zone compressor wine cooler
- ❖ Built-in installation
- ❖ Seamless SS door frame
- ❖ 3 layers glass
- ❖ 5pcs of beech wood shelf for right zone
- ❖ 3pcs of glass shelf for left zone t
- ❖ Touchpad controller with LED displayer
- ❖ Blue/White LED light
- ❖ Fan cooling system
- ❖ SS ventilation plinth
- ❖ SS handle



Capacity	100L
Net Capacity	20 Bottles
AC Voltage	220-240, 50/60Hz
Rate Power	65W
Cooling Capacity	5-20°C
Product Size	595(W) x570(D) x820(H) mm
Plug	Customized

RS 1806 - Automatic Sanitizer Dispenser

Material	ABS Plastic
Capacity	1000ml
Dispenser Size	100 x 138 x 266mm
Colour	White
Input Voltage	110V-240V
Liquid Outlet	0.7ml or 1.4ml
Sensor Distance	10 cm
Battery Version	4 pcs or 8 pcs AA batteries
Support	AC / DC power
Operation Mode	Automatic
Table Stand Size:	630 x 280 x 215 mm
Base Size:	270 x 230 mm
Standing Size:	270 x 400 x 1500 mm
Base Size:	400 x 270 mm
Stand Material	Steel + Plastic
Pump Type	Liquid / Gel



RS- Key Card

- ❖ 4-color offset printing , Silk-screen printing ,Thermal printing
- ❖ Digital printing
- ❖ Digit printing , Magnetic stripe(300oe, 2750oe), Barcode
- ❖ Hot-stamping gold/silver color, Signature panel , Series
- ❖ Number marking, Hole punch, Metal

Door Lock System	Vingcard, Onity, Saflok, Hafele, Adel, Kaba, Be-tech, Salto, Orbita, Digi
Material	PVC, PET
Size	85.6*54 mm
Thickness	0.85 mm
Protocol	ISO14443A
Frequency	13.56MHz/125Khz
Type of Magnetic Stripe	300/650oe 2750/4000oe
Type of Chip	Mifare 1K, Mifare 4K, Mifare 2K, Mifare Mini(S20), Mifare Plus, Ultralight, TK4100, T5577, Desfire, AT24C02, TI,



RS- Do Not Disturb Door Hanger

- ❖Silk-screen printing or offset full color printing
- ❖Customized logo printing, QR code, barcode, serial number, hot stamp, hologram, hole punched Digital printing

Item	Custom Shape Hotel door hanger
Material	PVC, PET, PP, ABS
Size	92*255 mm
Thickness	0.76 mm



RS- In Room Amenity Holder

- ❖ Tissue Box
- ❖ Note Pad
- ❖ Tray
- ❖ Service Binder
- ❖ Folder
- ❖ Bar Bill Folder
- ❖ Remote Control Folder
- ❖ Laundry Folder
- ❖ Amenities Box
- ❖ Ice Bucket Holder
- ❖ Tea Bag Box
- ❖ Meeting Tray
- ❖ Shoe Tray
- ❖ Brochure Stand
- ❖ Jewellery Box
- ❖ Stationary Box
- ❖ Coaster
- ❖ Table Pad

Material Type	PU leather/ Faux Leather/ Leatherette
Product Size	Customized
Logo	Customized
Product Colour	Customized



Sampling:

- (1) Sample payment: based on quantity and design
- (2) Sample fee refund: sample fee will be refunded from the final order

Contact us

Rimmo Services Technology

11 Upper Boon Keng Road #01-909,
Boon Keng Ville. Singapore 380011

Website: rimmo.com.sg

Email: enquiry@rimmo.com.sg / sales@rimmo.com.sg